

Zoosystema 44 (22). Corrigendum

**Review of the “red” Empoascini leafhoppers in the genera
Baguoidea Mahmood, 1967, *Dayus* Mahmood, 1967 and
Homa Distant, 1908 (Hemiptera, Cicadellidae, Typhlocybinae)
from Asia and the West Pacific**

Michael D. WEBB

Department of Life Sciences (Insects), The Natural History Museum,
London, SW7 5BD (United Kingdom)
m.webb@nhm.ac.uk (corresponding author)

Ye XU

Institute of Entomology, Jiangxi Agricultural University,
Nanchang 330045 (China)
yexu@jxau.edu.cn

Published 19 November 2025

In the published version of the article, an error in parentheses was unfortunately introduced in the distribution of the species *Dayus formosus* on page 555. Consistent with all other references in the article, Taiwan should be placed inside the parentheses. The treatment of the species *Dayus formosus* is reproduced in full below, with its corrected distribution.

Dans la version publiée de l'article une erreur de parenthèse s'est malheureusement glissée dans la distribution de l'espèce *Dayus formosus* en page 555. Conformément à toutes les autres mentions dans l'article, Taïwan devrait être placé entre parenthèses. Le traitement de l'espèce *Dayus formosus* est reproduit intégralement ci-dessous, avec sa répartition corrigée.

Dayus formosus

Dworakowska & Viraktamath, 1978

Dayus formosus Dworakowska & Viraktamath, 1978: 544, figs 33-41. — Qin & Zhang 2007: 51.

DISTRIBUTION. — India, China (Hainan, Hong Kong new record, Taiwan).

MATERIAL EXAMINED. — **India** • 2 ♀; T. Nadu; Yercaud; I. Dworakowska det.; NHM.
China • 1 ♂; Hong Kong (new record); NHM.

REMARK

This species was described from the holotype male and one male, three female paratypes from India. An additional male from Taiwan was also recorded.